# GV2APN04

Extended rotary handle kit, TeSys GV2, IP65, red handle, without trip indication, for GV2L-GV2P





Main	
Range	TeSys
Device short name	GV2AP
Product or component type	Rotary handle kit
Accessory / separate part category	Control accessory
Handle colour	Red

Yellow

## Complementary

Rotary handle padlocking Padlock in OFF position  Rotary handle mounting style Extended  Locking options description 1 to 3 padlocks  Back/door distance 140250 mm	Product compatibility	GV2P	
Rotary handle mounting style Extended  Locking options description 1 to 3 padlocks  Back/door distance 140250 mm		GV2L	
Locking options description 1 to 3 padlocks  Back/door distance 140250 mm	Rotary handle padlocking	Padlock in OFF position	
Back/door distance 140250 mm	Rotary handle mounting style	Extended	
1 11	Locking options description	1 to 3 padlocks	
Not weight 0.2 kg	Back/door distance	140250 mm	
Net weight 0.5 kg	Net weight	0.3 kg	

Handle front plate

colour

#### **Environment**

Environment	
IP degree of protection	IP65

# **Packing Units**

PCE
1
366 g
6.5 cm
9 cm
37 cm
S03
12
4.725 kg
30 cm
30 cm
40 cm


### Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	REACh Declaration	
EU RoHS Directive	Compliant EEEU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	€Yes	


China RoHS Regulation	☑ China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Contractual warranty	
Warranty	18 months

# GV2APN04

## Mounting of External Operator GV2APN01, GV2APN02 or GV2APN04 for Motor Circuit Breakers GV2L



#### Door cut-out



(1) For IP65 only.