Product data sheet Characteristics

A9MEM3100 iEM3000 energy meter - 63 A





Main

Range	Acti 9
Range of product	Acti 9 iEM3000
Device short name	IEM3100
Product or component type	Energy meter

Complementary

Poles description	1P + N
i dies description	3P
	3P + N
Type of measurement	Active energy
Device application	Partial meter
	Sub billing
Accuracy class	Class 1 active energy conforming to IEC 62053-21
	Class 1 active energy conforming to IEC 61557-12
	Class B active energy conforming to EN 50470-3
Input type	Direct input
[In] rated current	63 A
Rated voltage	100277 V
	173480 V
Network frequency	60 Hz
	50 Hz
Technology type	Electronic
Display type	LCD display
Sampling rate	32 samples/cycle
Measurement current	063 A
Maximum value measured	99999999.9 kWh
Communication port protocol	-
Communication port support	-
Local signalling	Green indicator light: power ON
	Yellow flashing LED: accuracy checking
Number of inputs	0
Number of outputs	0
Mounting mode	Clip-on
Mounting support	DIN rail
Connections - terminals	Screw terminals 16 mm² cable(s)
Overvoltage category	III

Standards	IEC 61036	
Statidatus		
	IEC 61557-12	
	IEC 62053-23	
	IEC 61010	
	UL 61010-1	
	IEC 62053-21	
Product certifications	CE conforming to IEC 61010 (safety)	
	CE conforming to EN 61557-12 (power monitor)	
	CE conforming to IEC 61326-1 (EMC)	
	CULus conforming to UL 61010 (safety)	
	CULus conforming to ANSI C12.20 (sub-meter)	
	EAC (sub-meter)	
	RCM conforming to NMI M 6-1 (sub-meter)	
	UL	

Environment

IP degree of protection	IP40 front panel: conforming to IEC 60529 IP20 body: conforming to IEC 60529	
Pollution degree	2	
Relative humidity	595 % at 50 °C	
Ambient air temperature for operation	-2560 °C - IEC	
Ambient air temperature for storage	-4085 °C	
Operating altitude	< 2000 m	
Colour	White	
9 mm pitches	10	
Width	90 mm	
Height	95 mm	
Depth	69 mm	

Packing Units

Package 1 Weight	0.428 kg	
Package 1 Height	8.600 cm	
Package 1 width	9.600 cm	
Package 1 Length	10.600 cm	

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Compliant
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	☐ China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	☐ End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months