
# KRB0460ZA2

Horizontal edgewise support, Canalis KR, edgewise busbar trunking, 4000A for Canalis KRA (aluminium), 5000A Canalis KRC





#### Main

| Range                     | Canalis          |
|---------------------------|------------------|
| Product name              | KR               |
| Product or component type | Edgewise support |
| Device short name         | KRB              |

## Complementary

| Accessory / separate part category | Support accessory                                  |
|------------------------------------|--|
| Mounting position                  | Horizontal   |
| [le] rated operational current     | 4000 A with aluminium<br>5000 A with copper        |
| Busbar trunking polarity           | 3L<br>3L + N + PE<br>3L + N or 3L + PE or 3L + PEN |
| Material                           | Stainless steel 316                                |
| Standards                          | IEC 61439-6<br>IEC 61439-2                         |
| Height                             | 460 mm   |
| Quantity per set                   | Set of 1   |

#### Packing Units

| PCE     |
|---------|
| 1       |
| 54.0 cm |
| 30.0 cm |
| 4.5 cm  |
| 2.57 kg |
|         |

### Offer Sustainability

| Sustainable offer status   | Green Premium product          |  |
|----------------------------|--------------------------------|--|
| REACh Regulation           | REACh Declaration              |  |
| REACh free of SVHC         | Yes                            |  |
| EU RoHS Directive          | Compliant EEU RoHS Declaration |  |
| Toxic heavy metal free     | Yes                            |  |
| Mercury free               | Yes                            |  |
| China RoHS Regulation      | China RoHS Declaration         |  |
| RoHS exemption information | ₫Yes                           |  |
| Environmental Disclosure   | Product Environmental Profile  |  |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or intelability of these products for specific user applications. It is the douty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

| Circularity Profile         | End Of Life Information   |
|-----------------------------|---|
| WEEE                        | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Halogen content performance | Halogen free product  |