



Main

Product or component type	Terminal extension
Product compatibility	LC1G265...500

Complementary

Poles description	3P
Height	104 mm
Width	140 mm
Depth	56.4 mm
Net weight	0.6 kg
Quantity per set	Set of 2

Environment

IP degree of protection	IP20 conforming to IEC 60529 (with terminal shields)
Pollution degree	3 conforming to IEC 60947-1
Operating altitude	3000 m without derating 5000 m with derating factor
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4
Product certifications	CE[RETURN]UKCA[RETURN]cULus
Ambient air temperature for operation	-25...60 °C
Ambient air temperature for storage	-60...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.5 cm
Package 1 Width	16.0 cm
Package 1 Length	23.0 cm
Package 1 Weight	1.345 kg
Unit Type of Package 2	S02
Number of Units in Package 2	2
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.09 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	 China RoHS Declaration
RoHS exemption information	 Yes
Environmental Disclosure	 Product Environmental Profile
Circularity Profile	 End Of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

