




Main

Range	TeSys
Device short name	LA9G
Product or component type	Mounting base
Accessory / separate part category	Installation accessories
Range compatibility	TeSys G LC1G contactor
Product compatibility	LC1G400...500 LC1G620 LR9G500
Quantity per set	Set of 1

Complementary

[Ie] rated operational current	500 A
IP degree of protection	IP20 conforming to IEC 60529
Height	15 mm
Width	95 mm
Depth	145 mm
Thickness	8 mm
Net weight	0.5 kg

Environment

Operating altitude	3000 m without derating 5000 m with derating factor
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1
Pollution degree	3 conforming to IEC 60947-1
Ambient air temperature for operation	-40...60 °C
Ambient air temperature for storage	-60...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	14.0 cm
Package 1 Length	20.0 cm
Package 1 Weight	242.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	15
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	4.02 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	 China RoHS Declaration
RoHS exemption information	 Yes
Environmental Disclosure	 Product Environmental Profile
Circularity Profile	 End Of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product