



Main

| | |
|------------------------------------|----------------------|
| Range | TeSys |
| Device short name | LA9G |
| Product or component type | Set of connections |
| Accessory / separate part category | Connection accessory |
| Electrical circuit type | Changeover |
| Quantity per set | Set of 1 |

Complementary

| | |
|-----------------------|--------------------------------|
| Poles description | 3P |
| Product compatibility | LC1G265...500 LC1G300...475 |
| Range compatibility | TeSys Giga |
| Height | 65 mm |
| Width | 74 mm |
| Depth | 298 mm |
| Net weight | 0.8 kg |

Environment

| | |
|---------------------------------------|--|
| Standards | EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4 |
| Product certifications | ABS[RETURN]BV[RETURN]CB[RETURN]CCC[RETURN]CCS[RETURN]CUL[RETURN]DIN[RETURN]GL[RETURN]IEAC[RETURN]JKC[RETURN]LROS (Lloyds register of shipping) [RETURN]RCM[RETURN]RINA[RETURN]RMRoS |
| Ambient air temperature for operation | -40...60 °C |
| Ambient air temperature for storage | -60...80 °C |
| IP degree of protection | IP20 conforming to IEC 60529 |
| Operating altitude | 3000 m without derating 5000 m with derating factor |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 14.5 cm |
| Package 1 Width | 15.5 cm |
| Package 1 Length | 46.5 cm |
| Package 1 Weight | 1.933 kg |
| Unit Type of Package 2 | S04 |
| Number of Units in Package 2 | 4 |
| Package 2 Height | 30.0 cm |
| Package 2 Width | 40.0 cm |

| | |
|------------------|----------|
| Package 2 Length | 60.0 cm |
| Package 2 Weight | 8.619 kg |

Offer Sustainability

| | |
|-----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Compliant with Exemptions |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |
| PVC free | Yes |
| Halogen content performance | Halogen free plastic parts product |

