# Change-over connection bar, TeSys Giga contactor, for LC1G630-800, 4 pole





Main	
Range	TeSys
Device short name	LA9G
Product or component type	Set of connections
Accessory / separate part category	Connection accessory
Electrical circuit type	Changeover

Set of 1

Com	plemo	entary

o o in promontary		
Poles description	4P	
Product compatibility	LC1G630800	
Range compatibility	TeSys Giga	
Height	580.5 mm	
Width	97 mm	
Depth	88 mm	
Net weight	7.155 kg	

Quantity per set

#### Environment

LIMIOIIIIEII	
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4
Product certifications	ABS[RETURN]BV[RETURN]CB[RETURN]CCC[RETURN]CCS[RETURN]CUL[RETURN]CDL[RETURN]LROS (Lloyds register of shipping) [RETURN]RCM[RETURN]RINA[RETURN]RMRoS
Ambient air temperature for operation	-4060 °C
Ambient air temperature for storage	-6080 °C
IP degree of protection	IP20 conforming to IEC 60529
Operating altitude	3000 m without derating 5000 m with derating factor

#### **Packing Units**

I acking Office		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	20.800 cm	
Package 1 Width	20.500 cm	
Package 1 Length	68.800 cm	
Package 1 Weight	9.250 kg	
Unit Type of Package 2	P06	
Number of Units in Package 2	6	
Package 2 Height	73.500 cm	
Package 2 Width	60.000 cm	
Package 2 Length	80.000 cm	
Package 2 Weight	62.500 kg	

May 20, 2024

### Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	<sup>™</sup> China RoHS Declaration
RoHS exemption information	€Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	<sup>™</sup> End Of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product