LA9G972

Mechanical interlock, for TeSys Giga contactor LC1G630-800 and LC1G265-500, IP20





Main

Range	TeSys
Device short name	LA9G
Product or component type	Mechanical interlock
Accessory / separate part category	Interlocking accessory
Interlocking type	Mechanical
Range compatibility	TeSys Giga
Product compatibility	LC1G265500 LC1G630800 LC1G300475 LC1G620
Poles description	3P
Electrical circuit type	Star-delta Star-delta

Complementary

Net weight	0.225 kg	
Net weight	0.223 kg	
· ·	•	

Environment

LITTION		
Pollution degree	3 conforming to IEC 60947-1	
IP degree of protection	IP20 conforming to IEC 60529	
Operating altitude	3000 m without derating 5000 m with derating factor	
Ambient air temperature for operation	-2560 °C	
Ambient air temperature for storage	-6080 °C	
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	5.7 cm	
Package 1 Width	9.0 cm	
Package 1 Length	18.2 cm	
Package 1 Weight	205.0 g	
Unit Type of Package 2	S02	
Number of Units in Package 2	12	
Package 2 Height	15 cm	
Package 2 Width	30 cm	
Package 2 Length	40 cm	
Package 2 Weight	2.843 kg	

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	[™] China RoHS Declaration
RoHS exemption information	€Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	[™] End Of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

Product data sheet Dimensions Drawings

LA9G972

LA9G972