

Product data sheet

Characteristics

LA9GSQ330

Star-Delta connection bar, for TeSys Giga contactor LC1G265-500 (Line & Delta)/ LC1G115-225 (Star)



Main

| | |
|------------------------------------|----------------------|
| Range | TeSys |
| Device short name | LA9G |
| Product or component type | Set of connections |
| Accessory / separate part category | Connection accessory |
| Electrical circuit type | Star-delta |
| Quantity per set | Set of 1 |

Complementary

| | |
|-----------------------|---------------|
| Poles description | 3P |
| Product compatibility | LC1G115...225 |
| Range compatibility | TeSys Giga |
| Height | 65 mm |
| Width | 145 mm |
| Depth | 405 mm |
| Net weight | 1.5 kg |

Environment

| | |
|-------------------------------------|--|
| Standards | EN/IEC 60947-4-1 |
| Ambient air temperature for storage | -60...80 °C |
| Operating altitude | 3000 m without derating 5000 m with derating factor |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 16.000 cm |
| Package 1 Width | 18.000 cm |
| Package 1 Length | 57.000 cm |
| Package 1 Weight | 3.205 kg |
| Unit Type of Package 2 | P06 |
| Number of Units in Package 2 | 12 |
| Package 2 Height | 75.000 cm |
| Package 2 Width | 60.000 cm |
| Package 2 Length | 80.000 cm |
| Package 2 Weight | 47.500 kg |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

| | |
|-----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation |  REACH Declaration |
| EU RoHS Directive | Compliant with Exemptions |
| Mercury free | Yes |
| China RoHS Regulation |  China RoHS Declaration |
| RoHS exemption information |  Yes |
| Environmental Disclosure |  Product Environmental Profile |
| Circularity Profile |  End Of Life Information |
| PVC free | Yes |
| Halogen content performance | Halogen free plastic parts product |

