


Product data sheet

Characteristics

LA9GSQ331

Star-Delta connection bar, for TeSys Giga contactor LC1G265-500 (Line & Delta)/ LC1G115-225 (Star) with cable memory kit



Main

Range	TeSys
Device short name	LA9G
Product or component type	Connection accessories

Complementary

Poles description	3P
Electrical circuit type	Star-delta
Quantity per set	Set of 1
Height	65 mm
Width	145 mm
Depth	405 mm
Net weight	2.2 kg

Environment

Operating altitude	3000 m without derating 5000 m with derating factor
IP degree of protection	IP20 conforming to IEC 60529
Pollution degree	3 conforming to IEC 60947-1
Product certifications	CE[RETURN]UKCA[RETURN]cULus
Ambient air temperature for operation	-40...60 °C
Ambient air temperature for storage	-60...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.000 cm
Package 1 Width	18.000 cm
Package 1 Length	57.000 cm
Package 1 Weight	3.285 kg
Unit Type of Package 2	P06
Number of Units in Package 2	12
Package 2 Height	75.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	47.600 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	 China RoHS Declaration
RoHS exemption information	 Yes
Environmental Disclosure	 Product Environmental Profile
Circularity Profile	 End Of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

