





Main

Range	PrismaSeT
Range of product	PrismaSeT G
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure
Installation description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm
Installed device	<p>EasyPact: fixed CVS400 without earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed CVS630 without earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed EZC400 - control: toggle - vertical installation</p> <p>EasyPact: fixed EZC630 - control: toggle - vertical installation</p> <p>ComPact: fixed INS320...400 - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed INS500...630 - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed INV320...400 - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed INV500...630 - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX400 without earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: fixed NSX630 without earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed CVS400 with earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed CVS630 with earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: fixed NSX400 with earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: fixed NSX630 with earth leakage protection - control: toggle - vertical installation</p>
Poles description	<p>1 x 3P: fixed CVS400 vertical installation</p> <p>1 x 4P: fixed CVS400 vertical installation</p> <p>1 x 3P: fixed CVS630 vertical installation</p> <p>1 x 4P: fixed CVS630 vertical installation</p> <p>1 x 3P: fixed EZC400 vertical installation</p> <p>1 x 4P: fixed EZC400 vertical installation</p> <p>1 x 3P: fixed EZC630 vertical installation</p> <p>1 x 4P: fixed EZC630 vertical installation</p> <p>1 x 3P: fixed INS320...400 vertical installation</p> <p>1 x 4P: fixed INS320...400 vertical installation</p> <p>1 x 3P: fixed INS500...630 vertical installation</p> <p>1 x 4P: fixed INS500...630 vertical installation</p> <p>1 x 3P: fixed INV320...400 vertical installation</p> <p>1 x 4P: fixed INV320...400 vertical installation</p> <p>1 x 3P: fixed INV500...630 vertical installation</p> <p>1 x 4P: fixed INV500...630 vertical installation</p> <p>1 x 3P: fixed NSX400 vertical installation</p> <p>1 x 4P: fixed NSX400 vertical installation</p> <p>1 x 3P: fixed NSX630 vertical installation</p> <p>1 x 4P: fixed NSX630 vertical installation</p>
Condition of using cable tie	Need additional plate (1M high) when installation of device is in vertical

Number of vertical
modules [50 mm]

12 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
12 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
13 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
13 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
12 module(s): EZC400, direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
12 module(s): EZC400, direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
13 module(s): EZC630, direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
13 module(s): EZC630, direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
10 module(s): INS320...400, direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
10 module(s): INS320...400, direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
12 module(s): INS500...630, direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
12 module(s): INS500...630, direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
10 module(s): INV320...400, direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
10 module(s): INV320...400, direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
12 module(s): INV500...630, direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
12 module(s): INV500...630, direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
12 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
12 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
13 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
13 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
14 module(s): CVS400 with earth leakage protection , direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
14 module(s): CVS400 with earth leakage protection , direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
15 module(s): CVS630 with earth leakage protection , direct with long terminal shield in 600 mm Widefloor-standing enclosure (cable coming from top or bottom of enclosure)
15 module(s): CVS630 with earth leakage protection , direct with long terminal shield in 600 mm Widewall-mounted enclosure (cable coming from top or bottom of enclosure)
14 module(s): NSX400 with earth leakage

Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Cable entry	Cut-out plates 0.311 mm top or bottom 300 mm Cut-out plates 0.39 mm top or bottom 225 mm Cut-out plates 0.313 mm top or bottom 325 mm Cut-out plates 0.314 mm top or bottom 350 mm
Material	Sheet steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Textured Matt
Colour	White (RAL 9003)
Width	600 mm
Height	300 mm

Net weight

2.64 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.500 cm
Package 1 Width	26.500 cm
Package 1 Length	47.500 cm
Package 1 Weight	2.601 kg
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	13.878 kg
Unit Type of Package 3	P12
Number of Units in Package 3	60
Package 3 Height	103.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	176.352 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Circularity Profile	No need of specific recycling operations
PVC free	Yes
Halogen content performance	Halogen free plastic parts product