

Main

Range	Linerigy
Range of product	Linerigy
Product or component type	Connection
Product name	Linerigy FM
Product name	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P enclosure Linerigy Linergy FM device feeder
Accessory / separate part category	Current distribution accessory
Provided equipment	Fixing screws
Standards	IEC 61439-1, inside enclosure IEC 61439-2, inside enclosure
Product certifications	ASTA






Complementary

Cubicle-device connection	Linerigy FM distribution block Linerigy BS busbar
Poles description	4P
Installation description	Cubicle duct - width 300 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm
Installed device	Linerigy FM 200 A
[Ie] rated operational current	200 A
Colour	Anthracite grey (RAL 7016)
Length	570 mm
Net weight	2.02 kg
Quantity per set	Set of 4

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.5 cm
Package 1 Width	11.5 cm
Package 1 Length	56.5 cm
Package 1 Weight	1.917 kg
Unit Type of Package 2	P12
Number of Units in Package 2	36
Package 2 Height	47.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	80.0 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant  EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	 China RoHS Declaration
RoHS exemption information	 Yes
Environmental Disclosure	 Product Environmental Profile
Circularity Profile	No need of specific recycling operations
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins