
LVS04490

Connection, PrismaSeT P, for MTZ1/NT, 4P, 1600A, fixed





| Main | |
|------------------------------------|--|
| Range | PrismaSeT |
| Range of product | PrismaSeT P |
| Product or component type | Connection |
| Product name | PrismaSeT PrismaSeT P enclosure |
| Accessory / separate part category | Current distribution accessory |
| Standards | IEC 61439-2, inside enclosure IEC 61439-1, inside enclosure |
| Product certifications | ASTA |

Complementary

| Cubicle-device connection | Linergy busbar |
|--------------------------------|--|
| Poles description | 4P |
| Installation description | Cubicle - width 650 mm |
| Cubicle depth | 400 mm: front 400 + 400 mm: rear |
| Installed device | Masterpact: fixed NT16 - control: toggle vertical installation Masterpact: fixed NT16 - control: motor mechanism vertical installation |
| [le] rated operational current | 1600 A |
| Busbar cross section | 80 x 10 mm |
| Height | 150 mm |
| Width | 550 mm |
| Depth | 300 mm |
| Net weight | 18.34 kg |
| Quantity per set | Set of 1 |
| Functional unit | 650 mm 400 mm PrismaSeT P cubicle Masterpact NT16 fixed toggle vertical 4P 1 front connection on adaptor 14 650 mm 400 mm PrismaSeT P cubicle Masterpact NT16 fixed motor mechanism vertical 4P 1 front connection on adaptor 14 650 mm 800 mm PrismaSeT P cubicle Masterpact NT16 fixed toggle vertical 4P 1 rear connection on adaptor 11 650 mm 800 mm PrismaSeT P cubicle Masterpact NT16 fixed motor mechanism vertical 4P 1 rear connection on adaptor 11 650 mm 800 mm PrismaSeT P cubicle Masterpact NT16 fixed toggle vertical 4P 1 rear connection on Canalis 16 650 mm 800 mm PrismaSeT P cubicle Masterpact NT16 fixed motor mechanism vertical 4P 1 rear connection on Canalis 16 |

Packing Units

| PCE |
|-----------|
| 1 |
| 12.0 cm |
| 12.0 cm |
| 54.0 cm |
| 17.816 kg |
| P12 |
| 28 |
| 37.0 cm |
| |

| Package 2 Width | 80.0 cm |
|------------------|----------|
| Package 2 Length | 120.0 cm |
| Package 2 Weight | 510.0 kg |

Offer Sustainability

| Sustainable offer status | Green Premium product |
|-----------------------------|---|
| REACh Regulation | REACh Declaration |
| REACh free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EPEU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | €Yes |
| Circularity Profile | No need of specific recycling operations |
| PVC free | Yes |
| Halogen content performance | Halogen free plastic parts product |