

Product data sheet

Characteristics

LVS04610

COPPER JOINT AND MOUNTING HARDWARE FOR LINERGY LGYE INSIDE ANGLE KIT 630A-1600A



Main

Range	Linergy
Range of product	Linergy
Product or component type	Joining set
Product name	Linergy LGYE
Product name	PrismaSeT PrismaSeT P right-angle kit Linergy Linergy LGYE busbar
Standards	IEC 60439-1, inside enclosure IEC 60439-2, inside enclosure
Product certifications	ASTA

Complementary

Installation description	Cubicle - width 650 mm
Cubicle depth	400 mm
[Ie] rated operational current	1600 A
Material	Copper
Quantity per set	Set of 4

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6 cm
Package 1 Width	14 cm
Package 1 Length	19 cm
Package 1 Weight	2.804 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<input checked="" type="checkbox"/> REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <input checked="" type="checkbox"/> EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<input checked="" type="checkbox"/> China RoHS Declaration
RoHS exemption information	<input checked="" type="checkbox"/> Yes
Environmental Disclosure	<input checked="" type="checkbox"/> Product Environmental Profile
Circularity Profile	No need of specific recycling operations
PVC free	Yes

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or intended user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.