



### Main

Range	PrismaSeT
Range of product	PrismaSeT G
Product or component type	Flush mounting kit
Accessory / separate part category	Mounting accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure
Product compatibility	IP30 enclosure

### Complementary

Installation description	Wall-mounted enclosure
Number of vertical modules [50 mm]	6 9 12 15 18
Quantity per set	Set of 1
Height	930 mm
Width	600 mm
Net weight	2.42 kg
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.2 cm
Package 1 Width	14.0 cm
Package 1 Length	141.0 cm
Package 1 Weight	2.422 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	24
Package 2 Height	35.0 cm
Package 2 Width	120.0 cm
Package 2 Length	202.0 cm
Package 2 Weight	78.5 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Circularity Profile	No need of specific recycling operations