SLPBXCVX

Sensor, SpaceLogic SLP Series, air quality, CO2, VOC, temperature, room, BACnet MSTP/ Modbus, optimum Black housing





Main

Widin	
Range	SpaceLogic
Product or component type	Sensor
Product name	SpaceLogic Room Unit
Type of measurement	Carbon dioxide (CO2) Volatile organic compounds (VOC) Temperature
Device application	HVAC Temperature control Fan speed controller
Product specific application	Indoor air quality control
Product certifications	CE conforming to EN 61000-6-2 CE conforming to EN 61000-6-3 CE conforming to EN 61326-1 RCM EAC ICES-003 CULus
Communication port protocol	BACnet Modbus
Display type	Without display
Location	Living space
Mounting support	Wall-mount
Depth	23.7 mm
Height	85 mm
Width	115 mm
Network frequency	50 Hz 60 Hz
Ambient air temperature for operation	050 °C
Standards	UL 916 FCC part 15 class B
Colour	White
Sensor type	Transmitter NDIR (non-dispersive infrared) VOC transmitter
[Us] rated supply voltage	24 V AC 2030 V DC
Device presentation	Complete product
Surface finish	Glossy

Complementary

ABS (acrylonitrile butadiene-styrene)	
With temperature sensor	
With CO2 sensor	
With VOC (volatile organic compounds) sensor	
+/- 20 ppm	
Screw terminal - 2 cable(s) (AWG 24AWG 18)	
EcoStruxure Building Operation SmartX Room Purpose Controller programmable controllers	

Environment

Temperature setting range	1035 °C	
	050 °C	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	4.8 cm	
Package 1 Width	9.67 cm	
Package 1 Length	14.0 cm	
Package 1 Weight	181.82 g	

Offer Sustainability

Green Premium product	
☐ REACh Declaration	
Compliant with Exemptions	
Yes	
China RoHS Declaration	
₫Yes	
Product Environmental Profile	
☑ End Of Life Information	
The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	