

Main

Range of product	Lexium linear motion
Product or component type	Adaptor
Accessory / separate part category	Maintenance accessories

Complementary

Product compatibility	PAS 41 linear axis, outer dimension : 40 x 40 mm PAS 42 linear axis, outer dimension : 60 x 60 mm CAS 41 linear axis, outer dimension : 40 x 40 mm CAS 42 linear axis, outer dimension : 60 x 60 mm CAS 30 cantilever axis, outer dimension : 70 x 28 mm CAS 31 cantilever axis, outer dimension : 80 x 30 mm
Range compatibility	Lexium CAS Lexium PAS

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	12.8 cm
Package 1 Length	18.8 cm
Package 1 Weight	92 g
Unit Type of Package 2	S04
Number of Units in Package 2	18
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	2.42 kg


Offer Sustainability

RECh Regulation	RECh Declaration
RECh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
PVC free	Yes

Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



Dimensions in mm

ØD1	ØD2
5.5	8 h6

Dimensions in in.

ØD1	ØD2
0.22	0.31 h6