

# Product data sheet

## Characteristics

# VW3E1154R050

Power cable Lexium SH3/MH3 motor-Lexium 52/Lexium 62 servo drive, 10 mm<sup>2</sup>, 5 m



### Main

Range of product	PacDrive 3
Product or component type	Cable

### Complementary

Range compatibility	Lexium 62 Lexium 52
Product compatibility	LXM 62 servo drive LXM 52 servo drive SH32052P... SH32053P... MH31902P... MH31903P...
Connector type	M40
Accessory / separate part destination	Power supply Holding brake Temperature sensor
Cable cross section	10 mm <sup>2</sup>
Cable length	5 m
Net weight	4.832 kg

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.2 cm
Package 1 Width	58.0 cm
Package 1 Length	58.0 cm
Package 1 Weight	4.832 kg

### Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<input checked="" type="checkbox"/> <a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	<input checked="" type="checkbox"/> <a href="#">China RoHS Declaration</a>
RoHS exemption information	<input checked="" type="checkbox"/> <a href="#">Yes</a>
Environmental Disclosure	<input checked="" type="checkbox"/> <a href="#">Product Environmental Profile</a>
Circularity Profile	<input checked="" type="checkbox"/> <a href="#">End Of Life Information</a>

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or intended user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.