

XALFP6003E

Top of car box, Harmony XALF, for lift inspection, 4 flush pushbuttons, 1 selector switch, 1 mushroom head push button, 1 mains socket



Main

Range of product	Harmony XALF
Product or component type	Top of car box
Device short name	XALF
Product specific application	Lift inspection
Operator profile	1 mushroom head - 4 flush push-buttons - 1 selector switch - 1 power socket
Contact operation	Slow-break

Complementary

Material	Polycarbonate
Net weight	0.81 kg
Marking	CE
Contacts material	Silver alloy (Ag/Ni)

Environment

Protective treatment	TH
Ambient air temperature for storage	-40...70 °C
Ambient air temperature for operation	0...50 °C
Standards	EN 81-20 EN/IEC 60947-5-1 EN/IEC 60947-5-4 EN/IEC 60947-1 EN/IEC 60947-5-5

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.0 cm
Package 1 Width	22.0 cm
Package 1 Length	22.0 cm
Package 1 Weight	552.0 g

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes

Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Contractual warranty	
Warranty	18 months

Dimensions

