## ABE9C1280L05

IP67 passive splitter box - cable 5 m - with 8 channels M12 connector





#### Main

Range of product	Advantys ABE9
Product or component type	IP67 passive splitter box
Number of channels	8
Electrical connection	1 pre-wired cable connector, 5 m cable length 8 female connectors M12 5 pins
Status LED	Without

#### Complementary

Complementary		
Number of ways	16 ways	
[Ue] rated operational voltage	24 V DC	
Current per channel	4 A	
Insulation group	Category 3 conforming to VDE 0110	
Operating position	Any position	
Fixing mode	M4 screw fixing	
Contact resistance	5000 μOhm	
Current of common	16 A 1 mm² 12 A 0.75 mm²	
	12 A 0.75 Hilli	
Separation of commons	Without or with	
Net weight	1.61 kg	

#### **Environment**

IP degree of protection	IP67 conforming to IEC 529	
Product certifications	CULus	
Ambient air temperature for operation	-2080 °C	
Ambient air temperature for storage	-4085 °C	
Vibration resistance	0.2 gn (f= 57150 Hz) conforming to IEC 68-2-6, FC tests	
Shock resistance	30 gn for 11 ms conforming to EN 68-2-2 30 gn for 11 ms conforming to IEC 68-2-2	

#### **Packing Units**

· coming or mo	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	1.313 kg
Package 1 Height	4 cm
Package 1 width	28 cm
Package 1 Length	30 cm
Unit Type of Package 2	S03
Number of Units in Package 2	6
Package 2 Weight	8.505 kg
Package 2 Height	30 cm
Package 2 width	30 cm
Package 2 Length	40 cm

### Offer Sustainability


Sustainable offer status	Green Premium product	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EVEL RoHS  Declaration	
Mercury free	Yes	
RoHS exemption information	₫Yes	
China RoHS Regulation	China RoHS Declaration	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	<sup>™</sup> End Of Life Information	
The product must be disposed on European Union markets following waste collection and never end up in rubbish bins		

#### Contractual warranty


	•	
Warranty	18 months	

# ABE9C1280L05

#### **Dimensions**



#### Wiring Diagram



#### (1) BR1 and BR2: removable link

Item	Terminal	Wire
1/4	1	White
1/2	9	Grey/pink
2/4	2	Green
2/2	10	Red/blue
3/4	3	Yellow
3/2	11	White/green
4/4	4	Grey
4/2	12	Brown/green
5/4	5	Pink
5/2	13	White/yellow
6/4	6	Red
6/2	14	Yellow/brown
7/4	7	Black
7/2	15	White/grey
8/4	8	Violet
8/2	16	Grey/brown
1, 3, 5 & 7/1	+1	Brown 1
2, 4, 6 & 8/1	+2	Brown 2
1, 3, 5 & 7/3	-1	Blue 1
2, 4, 6 & 8/3	-2	Blue 2
18/5	PE	Green/yellow

#### **Connection Terminals**

