# Product data sheet Characteristics

## KBB40ZFC PIGTAIL HOOK





#### Main

Range of product	Canalis
Product or component type	Pigtail
Product compatibility	KBB
Fixing device mounting	Suspended on a chain
Maximum load	60 kg
Quantity per set	Set of 10

#### Complementary

Accessory / separate part category	Fixing accessory
Thread type	M5
Width	22 mm
Height	80 mm
Net weight	20 g

#### Environment

Standards	IEC 61439-6
	IEC 60439-2

#### Packing Units

i acking office	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	25 g
Package 1 Height	4 cm
Package 1 width	15 cm
Package 1 Length	15 cm
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Weight	305 g
Package 2 Height	15 cm
Package 2 width	4 cm
Package 2 Length	15 cm
Unit Type of Package 3	P06
Number of Units in Package 3	6000
Package 3 Weight	190.384 kg
Package 3 Height	77 cm
Package 3 width	80 cm
Package 3 Length	60 cm

### Offer Sustainability

Warranty

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant <sup>₫</sup> EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free product

18 months

## KBB40ZFC



