



Main

Range of product	Canalis
Product or component type	Hook
Product compatibility	KBB KBA
Fixing device mounting	To suspend the luminaire
Maximum load	45 kg
Quantity per set	Set of 10

Complementary

Accessory / separate part category	Fixing accessory
Thread type	M5
Width	22 mm
Height	62 mm
Net weight	50 g

Environment


Standards	IEC 61439-6 IEC 60439-2
-----------	----------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	159 g
Package 1 Height	2.5 cm
Package 1 width	7 cm
Package 1 Length	11 cm
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Weight	1.59 kg
Package 2 Height	2.5 cm
Package 2 width	7 cm
Package 2 Length	11 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration

Environmental Disclosure	 Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
PVC free	Yes
Halogen content performance	Halogen free product
Contractual warranty	
Warranty	18 months

