KBB40ZFG2 CLIP AND SPACER CABLE DUCT 25MM





Main Range of product Canalis Product or component Support

Product compatibility KBB

Quantity per set

Set of 10

Complementary

| Complementary | | |
|------------------------------------|-------------|--|
| Accessory / separate part category | Adaptation | |
| Mounting location | On trunking | |
| Mounting mode | By clips | |
| Mounting support | Busbar | |
| Width | 46 mm | |
| Depth | 30 mm | |
| Height | 97.5 mm | |
| Net weight | 0.2 kg | |
| | | |

Environment

| LITVITOTITICITE | | |
|-----------------|----------------------------|--|
| Standards | IEC 60439-2 IEC 61439-6 | |
| | 120 01400 0 | |

Packing Units

| Package 1 Weight | 0.026 kg |
|------------------|----------|
| Package 1 Height | 0.200 dm |
| Package 1 width | 0.530 dm |
| Package 1 Length | 0.980 dm |

Offer Sustainability

| Sustainable offer status | Green Premium product | |
|-----------------------------|---|--|
| REACh Regulation | ☑ REACh Declaration | |
| REACh free of SVHC | Yes | |
| EU RoHS Directive | Compliant EEU RoHS Declaration | |
| Toxic heavy metal free | Yes | |
| Mercury free | Yes | |
| RoHS exemption information | ₽¥Yes | |
| China RoHS Regulation | China RoHS Declaration | |
| Environmental Disclosure | Product Environmental Profile | |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins | |
| PVC free | Yes | |
| Halogen content performance | Halogen free product | |
| | | |

Warranty 18 months

KBB40ZFG2

