



Main

Range of product	Canalis
Product name	KS
Product or component type	End cover
Product compatibility	KS
[Ie] rated operational current	400 A

Complementary

Accessory / separate part category	Trunking accessory
Mounting location	Side of enclosure
Mounting mode	By clips
Mounting support	Busbar
Body material	Plastic

Environment

Standards	IEC 61439-6 IEC 60439-2
-----------	----------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	213 g
Package 1 Height	3.5 cm
Package 1 width	9.8 cm
Package 1 Length	19 cm
Unit Type of Package 2	CAR
Number of Units in Package 2	30
Package 2 Weight	7.004 kg
Package 2 Height	30 cm
Package 2 width	40 cm
Package 2 Length	60 cm
Unit Type of Package 3	P06
Number of Units in Package 3	30
Package 3 Weight	14.89 kg
Package 3 Height	44.5 cm
Package 3 width	60 cm
Package 3 Length	80 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant  EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	 Yes
China RoHS Regulation	 China RoHS Declaration
Environmental Disclosure	 Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free product

Contractual warranty

Warranty	18 months
----------	-----------

