XGFEC540

Radio frequency identification XG, field expander conveying type, Sn 30...90 mm, 400 x 23 x 50 mm



Main

Range of product	Telemecanique Radio frequency identification XG	
Accessory / separate part type	Field expander	
Product specific application	Conveyor system	
Product compatibility	XGCS4901201 + XGHB440245 XGCS4901201 + XGHB90E340 XGCS4901201 + XGHB520246 XGCS4901201 + XGHB320345 XGCS4901201 + XGHB320246	
Accessory / separate part destination	Station with associated label	
[Sn] nominal sensing distance	3090 mm	

Complementary

Accessory dimension	400 x 23 x 50 mm	
---------------------	------------------	--

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	812 g
Package 1 Height	8.5 cm
Package 1 width	8.5 cm
Package 1 Length	54.5 cm
Unit Type of Package 2	S04
Number of Units in Package 2	12
Package 2 Weight	10.734 kg
Package 2 Height	30 cm
Package 2 width	40 cm
Package 2 Length	60 cm

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	☑REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	₫Yes	
Environmental Disclosure	☐ Product Environmental Profile	
Circularity Profile	End Of Life Information	


Contractual warranty

Warranty	18 months	

XGFEC540

Dimensions

Field Expanders




(1) 4 x M4 screws

XGFEC540

Minimum Mounting Distances


Distance Between Field Expanders



Tag	e1	e2	e3
XGHB90E340	195	285	195
XGHB520246			
XGHB320345	420	540	450

Minimum Mounting Distances in a Metal Structure


Distance Between Field Expanders




Field expanders	
e (mm)	h (mm)
15	30

Curves

Dialogue Zones for Field Expanders







(1) Recommended working zone.

Curves

Dialogue Zones for Field Expanders





(1) Recommended working zone.