

Product data sheet

Characteristics

LA9ZA32434

PLATE GV2 32A 45X200 IEC/UL FOR 60 BUSBAR INTERAXIS



Main

Range	Linergy
Product name	BZ
Device short name	LA9Z
Product or component type	Adaptors for busbar systems
Number of ways	1 way
Quantity per set	Set of 4

Complementary

Range compatibility	Prisma G Prisma P Prisma PH Prisma Pack TeSys GV2 TeSys D Spacial
Product compatibility	GV2LE GV2P LC1D GV2ME
Poles description	3P
Permissible current	32 A
[Ui] rated insulation voltage	690 V
Cable cross section	6 mm ² - AWG 10
Busbar pitch	60 mm
Width	45 mm
Height	200 mm
Depth	63 mm
Colour	Grey

Environment

IP degree of protection	IP20 conforming to IEC 60529
-------------------------	------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	267 g
Package 1 Height	11.5 cm
Package 1 width	13 cm
Package 1 Length	22.5 cm
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Weight	1.14 kg
Package 2 Height	11.5 cm
Package 2 width	13 cm

Package 2 Length	22.5 cm
Unit Type of Package 3	S03
Number of Units in Package 3	24
Package 3 Weight	7.324 kg
Package 3 Height	30 cm
Package 3 width	30 cm
Package 3 Length	40 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant  EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	 Yes
China RoHS Regulation	 China RoHS Declaration
Environmental Disclosure	 Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free plastic parts product