LAD4DDL TESYS U-LINE TRANSIENT SUPPRESSOR



N/	2	ı	n
IVI	а	ı	ш

Range	TeSys
Device short name	LAD4
Product or component type	Suppressor module
Product compatibility	3P LC1D09D38 4P LC1DT20DT40 4P LC1D098D258 CAD32, CAD50

Complementary

Mounting location	Side	
Mounting mode	By clips	
Suppressor technology	Flywheel diode	
[Uc] control circuit voltage	24250 V DC	
Maximum peak voltage	1 Uc	
Net weight	0.012 kg	

Environment

Ambient air temperature for operation	-2555 °C
Ambient air temperature for storage	-4080 °C

Packing Units

Package 1 Weight	5.000 g	
Package 1 Height	0.110 dm	
Package 1 width	1.000 dm	
Package 1 Length	0.500 dm	

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₽¥Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months	